



www.diecotec.us
+1 929 334 3803






ALBA 6 KW

Beige



ALBA 8 KW

Bordo



ALBA 10 KW

Bordo



ALBA 13 KW

Beige



Specification	Unit	6 kW	8 kW	10 kW	13 kW
Maximum space that can be heated	sqft	645	753	968	1184
Electrical power consumption	W	100-300	100-300	100-300	100-300
Diameter of smoke exhaust	inch	3.14	3.14	3.14	3.14
Electrical power supply	V/Hz	110V/50Hz	110V/50Hz	110V/50Hz	110V/50Hz
Fuel	Pellet	Pellet	Pellet	Pellet	Pellet
Average pellet consumption	lbs/h	0.88 - 2.64	1.10 - 3.52	1.32 - 4.62	2.20 - 6.61
Tank capacity	lbs	26	30	33	48.50
Dimensions	inch	19x19x37	20x19x41	20x19x44	22x20x45
Weight	lbs	207	242	242	286



ALASKA 16 KW

Beige



ALASKA 25 KW

Bordo



ALASKA 33 KW

Beige



ALASKA 33 KW

Black



Specification	Unit	16 kW	25 kW	33 kW
Maximum space that can be heated	sqft	1506	2152	2690
Electrical power consumption	W	120-320	140-350	140-350
Diameter of smoke exhaust	inch	3	3	3
Electrical power supply	V/Hz	230V/50Hz	110V/50Hz	110V/50Hz
Fuel	Pellet	Pellet	Pellet	Pellet
Average pellet consumption	lbs/h	2.6 - 7	3.3 - 11	4.4 - 14.5
Tank capacity	lbs	57	79	99
Dimensions	inch	22x23x44	22x23x49	25x26x51
Weight	lbs	379	407	557